ELSEVIER

Hearing Research 183 (2003) 154

HEARING RESEARCH

www.elsevier.com/locate/heares

Author Index Volume 183

Ahn, Y.-H., see Kwun, Y.-S. (183) 84
Andreeva, N., see Gross, J. (183) 73
Arnold, W., see Müller, M. (183) 37

Dore, D.J., see Prosen, C.A. (183) 44

Eggermont, J.J., see Noreña, A.J. (183) 137
Eggermont, J.J., see Valentine, P.A. (183) 109
Everett, A.W., see Sueta, T. (183) 97

Finlayson, P.G., see Shaikh, A.G. (183) 126
Francis, H.W., Ryugo, D.K., Gorelikow, M.J., Prosen, C.A. and May, B.J.
The functional age of hearing loss in a mouse model of presbycusis. II. Neuroanatomical correlates (183) 29
Frisina, R.D., see Zettel, M.L. (183) 57
Fuchs, J., see Gross, J. (183) 73
Fujiki, N., see Kaneko, K.-i. (183) 1

Goodman, S.S., Withnell, R.H. and Shera, C.A.
The origin of SFOAE microstructure in the guinea pig (183) 7
Gorelikow, M.J., see Francis, H.W. (183) 29
Gross, J., Rheinländer, C., Fuchs, J., Mazurek, B., Machulik, A., Andreeva, N. and Kietzmann, T.
Expression of hypoxia-inducible factor-1 in the cochlea of newborn rats (183) 73

H. Helfert, R., Krenning, J., Wilson, T.S. and Hughes, L.F.
Age-related synaptic changes in the anteroventral cochlear nucleus of Fischer-344 rats (183) 18
Hari, R., see Kaneko, K.-i. (183) 1
Hughes, L.F., see H. Helfert, R. (183) 18

Jung, J.-Y., see Kwun, Y.-S. (183) 84

Kaneko, K.-i., Fujiki, N. and Hari, R.
Binaural interaction in the human auditory cortex revealed by neuromagnetic frequency tagging: no effect of stimulus intensity (183) 1
Kietzmann, T., see Gross, J. (183) 73
Kim, J., see Kwun, Y.-S. (183) 84
Kim, W.-Y., see Kwun, Y.-S. (183) 84
Klinke, R., see Müller, M. (183) 37
Krenning, J., see H. Helfert, R. (183) 18
Kwun, Y.-S., Yeo, S.W., Ahn, Y.-H., Lim, S.-W., Jung, J.-Y., Kim, W.-Y., Sands, J.M. and Kim, J.
Immunohistochemical localization of urea transporters A and B in the rat cochlea (183) 84

Lim, S.-W., see Kwun, Y.-S. (183) 84

Machulik, A., see Gross, J. (183) 73
May, B.J., see Francis, H.W. (183) 29
May, B.J., see Prosen, C.A. (183) 44
Mazurek, B., see Gross, J. (183) 73
Müller, M., Klinke, R., Arnold, W. and Oestreicher, E.
Auditory nerve fibre responses to salicylate revisited (183) 37

Noreña, A.J. and Eggermont, J.J.
Changes in spontaneous neural activity immediately after an acoustic trauma: implications for neural correlates of tinnitus (183) 137

O'Neill, W.E., see Zettel, M.L. (183) 57
Oestreicher, E., see Müller, M. (183) 37

Paki, B., see Sueta, T. (183) 97
Prosen, C.A., see Francis, H.W. (183) 29
Prosen, C.A., Dore, D.J. and May, B.J.
The functional age of hearing loss in a mouse model of presbycusis. I. Behavioral assessments (183) 44

Reuss, M.H., see Schaeffer, D.F. (183) 67
Reuss, S., see Schaeffer, D.F. (183) 67
Rheinländer, C., see Gross, J. (183) 73
Riemann, R., see Schaeffer, D.F. (183) 67
Robertson, D., see Sueta, T. (183) 97
Ryugo, D.K., see Francis, H.W. (183) 29

Sands, J.M., see Kwun, Y.-S. (183) 84
Schaeffer, D.F., Reuss, M.H., Riemann, R. and Reuss, S.
A nitrergic projection from the superior olivary complex to the inferior colliculus of the rat (183) 67
Shaikh, A.G. and Finlayson, P.G.
Hyperpolarization-activated (I_h) conductances affect brainstem auditory neuron excitability (183) 126
Shera, C.A., see Goodman, S.S. (183) 7
Sueta, T., Paki, B., Everett, A.W. and Robertson, D.
Purinergic receptors in auditory neurotransmission (183) 97

Trang, T.T., see Zettel, M.L. (183) 57

Valentine, P.A. and Eggermont, J.J.
Intracortical microstimulation induced changes in spectral and temporal response properties in cat auditory cortex (183) 109

Wilson, T.S., see H. Helfert, R. (183) 18
Withnell, R.H., see Goodman, S.S. (183) 7

Yeo, S.W., see Kwun, Y.-S. (183) 84

Zettel, M.L., O'Neill, W.E., Trang, T.T. and Frisina, R.D.
The effects of early bilateral deafening on calretinin expression in the dorsal cochlear nucleus of aged CBA/CaJ mice (183) 57

doi:10.1016/S0378-5955(03)00268-5

ELSEVIER

Hearing Research 183 (2003) 154

HEARING RESEARCH

www.elsevier.com/locate/heares

Author Index Volume 183

Ahn, Y.-H., see Kwun, Y.-S. (183) 84
Andreeva, N., see Gross, J. (183) 73
Arnold, W., see Müller, M. (183) 37

Dore, D.J., see Prosen, C.A. (183) 44

Eggermont, J.J., see Noreña, A.J. (183) 137
Eggermont, J.J., see Valentine, P.A. (183) 109
Everett, A.W., see Sueta, T. (183) 97

Finlayson, P.G., see Shaikh, A.G. (183) 126
Francis, H.W., Ryugo, D.K., Gorelikow, M.J., Prosen, C.A. and May, B.J.
The functional age of hearing loss in a mouse model of presbycusis. II. Neuroanatomical correlates (183) 29
Frisina, R.D., see Zettel, M.L. (183) 57
Fuchs, J., see Gross, J. (183) 73
Fujiki, N., see Kaneko, K.-i. (183) 1

Goodman, S.S., Withnell, R.H. and Shera, C.A.
The origin of SFOAE microstructure in the guinea pig (183) 7
Gorelikow, M.J., see Francis, H.W. (183) 29
Gross, J., Rheinländer, C., Fuchs, J., Mazurek, B., Machulik, A., Andreeva, N. and Kietzmann, T.
Expression of hypoxia-inducible factor-1 in the cochlea of newborn rats (183) 73

H. Helfert, R., Krenning, J., Wilson, T.S. and Hughes, L.F.
Age-related synaptic changes in the anteroventral cochlear nucleus of Fischer-344 rats (183) 18
Hari, R., see Kaneko, K.-i. (183) 1
Hughes, L.F., see H. Helfert, R. (183) 18

Jung, J.-Y., see Kwun, Y.-S. (183) 84

Kaneko, K.-i., Fujiki, N. and Hari, R.
Binaural interaction in the human auditory cortex revealed by neuromagnetic frequency tagging: no effect of stimulus intensity (183) 1
Kietzmann, T., see Gross, J. (183) 73
Kim, J., see Kwun, Y.-S. (183) 84
Kim, W.-Y., see Kwun, Y.-S. (183) 84
Klinke, R., see Müller, M. (183) 37
Krenning, J., see H. Helfert, R. (183) 18
Kwun, Y.-S., Yeo, S.W., Ahn, Y.-H., Lim, S.-W., Jung, J.-Y., Kim, W.-Y., Sands, J.M. and Kim, J.
Immunohistochemical localization of urea transporters A and B in the rat cochlea (183) 84

Lim, S.-W., see Kwun, Y.-S. (183) 84

Machulik, A., see Gross, J. (183) 73
May, B.J., see Francis, H.W. (183) 29
May, B.J., see Prosen, C.A. (183) 44
Mazurek, B., see Gross, J. (183) 73
Müller, M., Klinke, R., Arnold, W. and Oestreicher, E.
Auditory nerve fibre responses to salicylate revisited (183) 37

Noreña, A.J. and Eggermont, J.J.
Changes in spontaneous neural activity immediately after an acoustic trauma: implications for neural correlates of tinnitus (183) 137

O'Neill, W.E., see Zettel, M.L. (183) 57
Oestreicher, E., see Müller, M. (183) 37

Paki, B., see Sueta, T. (183) 97
Prosen, C.A., see Francis, H.W. (183) 29
Prosen, C.A., Dore, D.J. and May, B.J.
The functional age of hearing loss in a mouse model of presbycusis. I. Behavioral assessments (183) 44

Reuss, M.H., see Schaeffer, D.F. (183) 67
Reuss, S., see Schaeffer, D.F. (183) 67
Rheinländer, C., see Gross, J. (183) 73
Riemann, R., see Schaeffer, D.F. (183) 67
Robertson, D., see Sueta, T. (183) 97
Ryugo, D.K., see Francis, H.W. (183) 29

Sands, J.M., see Kwun, Y.-S. (183) 84
Schaeffer, D.F., Reuss, M.H., Riemann, R. and Reuss, S.
A nitrergic projection from the superior olivary complex to the inferior colliculus of the rat (183) 67
Shaikh, A.G. and Finlayson, P.G.
Hyperpolarization-activated (I_h) conductances affect brainstem auditory neuron excitability (183) 126
Shera, C.A., see Goodman, S.S. (183) 7
Sueta, T., Paki, B., Everett, A.W. and Robertson, D.
Purinergic receptors in auditory neurotransmission (183) 97

Trang, T.T., see Zettel, M.L. (183) 57

Valentine, P.A. and Eggermont, J.J.
Intracortical microstimulation induced changes in spectral and temporal response properties in cat auditory cortex (183) 109

Wilson, T.S., see H. Helfert, R. (183) 18
Withnell, R.H., see Goodman, S.S. (183) 7

Yeo, S.W., see Kwun, Y.-S. (183) 84

Zettel, M.L., O'Neill, W.E., Trang, T.T. and Frisina, R.D.
The effects of early bilateral deafening on calretinin expression in the dorsal cochlear nucleus of aged CBA/CaJ mice (183) 57

doi:10.1016/S0378-5955(03)00268-5

ELSEVIER

Hearing Research 183 (2003) 155–157

HEARING RESEARCH

www.elsevier.com/locate/heares

Subject Index Volume 183

Age-related hearing loss
Outer hair cell; Presbycusis; Cochlear frequency map (Francis, H.W. (183) 29)

Animal auditory psychophysics
Presbycusis; Signal detection in noise (Prosen, C.A. (183) 44)

ATP
ATP analogs; Purinergic receptors; Cochlea; Receptor potentials; Auditory nerve fibers; Inner hair cell; Synapse; Endocochlear potential; Neurotransmission (Sueta, T. (183) 97)

ATP analogs
ATP; Purinergic receptors; Cochlea; Receptor potentials; Auditory nerve fibers; Inner hair cell; Synapse; Endocochlear potential; Neurotransmission (Sueta, T. (183) 97)

Auditory
Dendritic regression; Inferior colliculus; Presbycusis; Ultrastructure (H. Helfert, R. (183) 18)

Hyperpolarization-activated cyclic-nucleotide-sensitive non-selective cation channels; Superior olivary complex; ZD7288; Excitability; Sound (Shaikh, A.G. (183) 126)

Auditory brainstem
Retrograde tracing; Immunohistochemistry; Nitric oxide (Schaeffer, D.F. (183) 67)

Auditory cortex
Magnetoencephalography; Frequency tagging; Steady-state response; Binaural interaction; Human (Kaneko, K.-i. (183) 1)

Cat; Multi-unit; Burst firing; Cross-correlation; Frequency tuning (Valentine, P.A. (183) 109)

Auditory midbrain
Calcium binding protein; Presbycusis; Neural plasticity (Zettel, M.L. (183) 57)

Auditory nerve
Tinnitus; Salicylate; Response properties (Müller, M. (183) 37)

Auditory nerve fibers
ATP; ATP analogs; Purinergic receptors; Cochlea; Receptor potentials; Inner hair cell; Synapse; Endocochlear potential; Neurotransmission (Sueta, T. (183) 97)

Binaural interaction
Magnetoencephalography; Frequency tagging; Steady-state response; Human; Auditory cortex (Kaneko, K.-i. (183) 1)

Burst
Noise trauma; Spontaneous activity; Cross-correlation; Poisson-surprise method (Noreña, A.J. (183) 137)

Burst firing
Cat; Auditory cortex; Multi-unit; Cross-correlation; Frequency tuning (Valentine, P.A. (183) 109)

Calcium binding protein
Presbycusis; Auditory midbrain; Neural plasticity (Zettel, M.L. (183) 57)

Cat
Auditory cortex; Multi-unit; Burst firing; Cross-correlation; Frequency tuning (Valentine, P.A. (183) 109)

Cochlea
Hypoxia; Hypoxia-inducible factor; mRNA (Gross, J. (183) 73)

ATP; ATP analogs; Purinergic receptors; Receptor potentials; Auditory nerve fibers; Inner hair cell; Synapse; Endocochlear potential; Neurotransmission (Sueta, T. (183) 97)

Cochlear frequency map
Outer hair cell; Age-related hearing loss; Presbycusis (Francis, H.W. (183) 29)

Cross-correlation
Cat; Auditory cortex; Multi-unit; Burst firing; Frequency tuning (Valentine, P.A. (183) 109)

Noise trauma; Spontaneous activity; Burst; Poisson-surprise method (Noreña, A.J. (183) 137)

Dendritic regression
Auditory; Inferior colliculus; Presbycusis; Ultrastructure (H. Helfert, R. (183) 18)

Endocochlear potential
ATP; ATP analogs; Purinergic receptors; Cochlea; Receptor potentials; Auditory nerve fibers; Inner hair cell; Synapse; Neurotransmission (Sueta, T. (183) 97)

Erythrocyte urea transporter
Renal urea transporter; Rat cochlea; Immunohistochemistry (Kwun, Y.-S. (183) 84)

Excitability
Hyperpolarization-activated cyclic-nucleotide-sensitive non-selective cation channels; Auditory; Superior olivary complex; ZD7288; Sound (Shaikh, A.G. (183) 126)

doi:10.1016/S0378-5955(03)00273-9

Frequency tagging
Magnetoencephalography; Steady-state response; Binaural interaction; Human; Auditory cortex (Kaneko, K.-i. (183) 1)

Frequency tuning
Cat; Auditory cortex; Multi-unit; Burst firing; Cross-correlation (Valentine, P.A. (183) 109)

Human
Magnetoencephalography; Frequency tagging; Steady-state response; Binaural interaction; Auditory cortex (Kaneko, K.-i. (183) 1)

Hyperpolarization-activated cyclic-nucleotide-sensitive non-selective cation channels
Auditory; Superior olivary complex; ZD7288; Excitability; Sound (Shaikh, A.G. (183) 126)

Hypoxia
Cochlea; Hypoxia-inducible factor; mRNA (Gross, J. (183) 73)

Hypoxia-inducible factor
Cochlea; Hypoxia; mRNA (Gross, J. (183) 73)

Immunohistochemistry
Auditory brainstem; Retrograde tracing; Nitric oxide (Schaeffer, D.F. (183) 67)

Renal urea transporter; Erythrocyte urea transporter; Rat cochlea (Kwun, Y.-S. (183) 84)

Inferior colliculus
Auditory; Dendritic regression; Presbycusis; Ultrastructure (H. Helfert, R. (183) 18)

Inner hair cell
ATP; ATP analogs; Purinergic receptors; Cochlea; Receptor potentials; Auditory nerve fibers; Synapse; Endocochlear potential; Neurotransmission (Sueta, T. (183) 97)

Magnetoencephalography
Frequency tagging; Steady-state response; Binaural interaction; Human; Auditory cortex (Kaneko, K.-i. (183) 1)

Microstructure
Otoacoustic emission; SFOAE (Goodman, S.S. (183) 7)

mRNA
Cochlea; Hypoxia; Hypoxia-inducible factor (Gross, J. (183) 73)

Multi-unit
Cat; Auditory cortex; Burst firing; Cross-correlation; Frequency tuning (Valentine, P.A. (183) 109)

Neural plasticity
Calcium binding protein; Presbycusis; Auditory midbrain (Zettel, M.L. (183) 57)

Neurotransmission
ATP; ATP analogs; Purinergic receptors; Cochlea; Receptor potentials; Auditory nerve fibers; Inner hair cell; Synapse; Endocochlear potential (Sueta, T. (183) 97)

Nitric oxide
Auditory brainstem; Retrograde tracing; Immunohistochemistry (Schaeffer, D.F. (183) 67)

Noise trauma
Spontaneous activity; Cross-correlation; Burst; Poisson-surprise method (Noreña, A.J. (183) 137)

Otoacoustic emission
Microstructure; SFOAE (Goodman, S.S. (183) 7)

Outer hair cell
Age-related hearing loss; Presbycusis; Cochlear frequency map (Francis, H.W. (183) 29)

Poisson-surprise method
Noise trauma; Spontaneous activity; Cross-correlation; Burst (Noreña, A.J. (183) 137)

Presbycusis
Auditory; Dendritic regression; Inferior colliculus; Ultrastructure (H. Helfert, R. (183) 18)

Outer hair cell; Age-related hearing loss; Cochlear frequency map (Francis, H.W. (183) 29)

Animal auditory psychophysics; Signal detection in noise (Prosen, C.A. (183) 44)

Calcium binding protein; Auditory midbrain; Neural plasticity (Zettel, M.L. (183) 57)

Purinergic receptors
ATP; ATP analogs; Cochlea; Receptor potentials; Auditory nerve fibers; Inner hair cell; Synapse; Endocochlear potential; Neurotransmission (Sueta, T. (183) 97)

Rat cochlea
Renal urea transporter; Erythrocyte urea transporter; Immunohistochemistry (Kwun, Y.-S. (183) 84)

Receptor potentials
ATP; ATP analogs; Purinergic receptors; Cochlea; Auditory nerve fibers; Inner hair cell; Synapse; Endocochlear potential; Neurotransmission (Sueta, T. (183) 97)

Renal urea transporter
Erythrocyte urea transporter; Rat cochlea; Immunohistochemistry (Kwun, Y.-S. (183) 84)

Response properties
Auditory nerve; Tinnitus; Salicylate (Müller, M. (183) 37)

Retrograde tracing
Auditory brainstem; Immunohistochemistry; Nitric oxide (Schaeffer, D.F. (183) 67)

Salicylate
Auditory nerve; Tinnitus; Response properties (Müller, M. (183) 37)

SFOAE
Microstructure; Otoacoustic emission (Goodman, S.S. (183) 7)

Signal detection in noise
Presbycusis; Animal auditory psychophysics (Prosen, C.A. (183) 44)

Sound
Hyperpolarization-activated cyclic-nucleotide-sensitive non-selective cation channels; Auditory; Superior olivary complex; ZD7288; Excitability (Shaikh, A.G. (183) 126)

Spontaneous activity
Noise trauma; Cross-correlation; Burst; Poisson-surprise method (Noreña, A.J. (183) 137)

Steady-state response
Magnetoencephalography; Frequency tagging; Binaural interaction; Human; Auditory cortex (Kaneko, K.-i. (183) 1)

Superior olivary complex
Hyperpolarization-activated cyclic-nucleotide-sensitive non-selective cation channels; Auditory; ZD7288; Excitability; Sound (Shaikh, A.G. (183) 126)

Synapse
ATP; ATP analogs; Purinergic receptors; Cochlea; Receptor potentials; Auditory nerve fibers; Inner hair cell; Endocochlear potential; Neurotransmission (Sueta, T. (183) 97)

Tinnitus
Auditory nerve; Salicylate; Response properties (Müller, M. (183) 37)

Ultrastructure
Auditory; Dendritic regression; Inferior colliculus; Presbycusis (H. Helfert, R. (183) 18)

ZD7288
Hyperpolarization-activated cyclic-nucleotide-sensitive non-selective cation channels; Auditory; Superior olivary complex; Excitability; Sound (Shaikh, A.G. (183) 126)